SWISSCAVE - 110 Bottle Single Temperature Zone Wine Cooler - WLB360F

SWISSCAVE built in or freestanding unit with a capacity of 110 Bordeaux bottles. Featuring a triple glazed UV resistant door with a black anodized handle, this unit looks great as a freestanding or when built into kitchen units.

With a wide operating temperature range of 5-20°C and dual temperature zones, this unit is perfect for use as a service wine cooler or if required, the WLB360F can be utilised as a long term storage unit for since it has a charcoal filter.

The new black edition units from Swisscave feature a Filigree precious black stainless steel frame rim with a lock. 9 Pull out beech shelves add a touch of class to the wine cooler and is something different in the wine cooler industry. The interior is also lit up by white LED's which are also mounted on the side walls to ensure you can see every layer of bottles easily.

The compressor is a highly efficient, high quality embraco compressor which can adjust the speed it is running at depending on the demand for cooler air in the cabinet - this makes the new Swisscave units highly efficient and really quiet in operation.

Swisscave WLB360F focus points:

- Fully extendable telescopic shelving giving you easy access to your wine
- 110 Bordeaux bottle capacity with all shelves mounted
- Lockable door to ensure your wines are locked away, which is also reversible
- UV protected glass, preventing any UV light from entering the cabinet
- Set and Actual temperature display so you can monitor your storage temperature
- Vibration free inverter compressor, mounted on rubber bushes
- Internal heating element, making it suitable for installation in a garage
- Suitable for built in use with cabinets built around it supported by a 2 year manufacturers warranty the new Swisscave WLB360F is constructed from some of the highest quality components available on the market today a sound purchase for any wine lover.

What bottles will the WLB360F hold?

Swisscave products are designed around Bordeaux bottle of a length of up to 30-31cm and diameter of 7.5-8cm - if you plan on storing any larger bottles than a typical Bordeaux bottle you will either need to utilise the top and bottom shelves or the shelves are easy to remove. There is also the option to purchase additional 'Burgundy' shelves - please contact us for pricing and availability. If you are unsure as to whether your bottles you have will fit this unit - please get in touch.

Ventilation and Install requirements:

The WLB360F is designed as a front venting unit which means it can be used as a freestanding or a built in unit with cabinets built around it. If building cabinets around the wine cooler, it is best to leave 1cm to the rear of the unit and also bare in mind that the over hang on the Swisscave units is approximately 1.5cm - so to have the wine cooler sitting flush, this will need to be accounted for pre-purchase/installation. If you have any questions on how to install this wine cooler, contact us.

Product Features

| Exterior | | |
|---------------------------------|----------------------------|--|
| Carcass | Black Coated Steel | |
| Glass | Triple Glazed – UV Treated | |
| Door Frame | Black Stainless Steel | |
| Door Handle | Black Anodized Steel | |
| Lock | Yes | |
| Hinge Side | Right | |
| Reversible Door | Yes | |
| Dimensions (H x W x D) | 1270 x 595 x 725 mm | |
| Packaged Dimensions (H x W x D) | 1420 x 630 x 780 mm | |

| Interior | | |
|-----------------------------|-------------------------|--|
| Temperature zones | 1 | |
| Lighting on/off switch | White Interior Lighting | |
| Total number of shelves | Yes | |
| Number of shelves | 9 | |
| Number of display shelves | 0 | |
| Number of bottles per shelf | 12 | |
| Shelf Material | Beech | |
| Telescopic Shelves | Yes (80% extension) | |
| Inside Casing | Black Aluminium | |

Product Features

| Performance Data | | |
|--|---------------------------|--|
| Max Bottle Capacity – All shelves Removed (Bordeaux) | 127 | |
| Max Bottle Capacity – All shelves mounted (Bordeaux) | 110 | |
| Space for large bottles (IE Magnums) | On Top and bottom shelves | |
| Humidity Range (%) | 50-70 | |
| Climate Classification | SN/ST | |
| Volume (L) | 270 | |
| Temperature range | 5-20°C | |
| Maximum Temperature difference | 1-2°C | |
| Noise Level (dB) | 39 | |

| General Information | | |
|-------------------------------|--------------------------|--|
| Installation Type | Freestanding or Built in | |
| Warranty Extension Available | Yes – Up to 4 years | |
| Transport Weight (kg) | 99 | |
| Net Weight (kg) | 50 | |
| Power Consumption (kWh/annum) | 135 | |
| Voltage Required | 220V / 50Hz | |
| Power Cable Length | 1.5m | |

Product Features

| Functions | | |
|------------------------------|--|--|
| Optimal Usage | Long Term Storage | |
| User Interface | 2 Digital displays (Set/Actual) | |
| Active Carbon Filters | Yes - 2 | |
| Compressor | Embraco Full Motion (Speed Controlled) | |
| Coolant | R600A | |
| Vibration Free | Yes | |
| Cooling System | Fan and Convection Cooling | |
| Defrost Function | Automatic | |
| Temperature Memory Function | Yes | |
| Condensation Water Container | Yes | |
| Heating | Yes with winter function | |
| Acoustic Temperature Alarm | Yes | |
| Acoustic Door Alarm | Yes | |
| Adjustable Feet | Yes | |

Delivery

Customers are advised to check the product dimensions to ensure the unit will fit through all doorways and please tell us about any obstructions, including steps and narrow passageways so we can make the necessary arrangements for the delivery.

| Non-stock delivery lead time (working days) | Kerbside | 2-Man (ground floor only) |
|---|----------|------------------------------|
| UK mainland | N/A | 3 - 6 |
| Northern Ireland | 7 – 10 | 10 - 14* |
| Republic of Ireland | 7 - 10 | 10 - 14* |

*Additional cost applies.

All 2-man deliveries are to the ground floor only, which includes to the room of choice, unpack, position and removal of packaging (excludes the Scottish highlands and Channel Islands). Removal and disposal of an old appliance is not included as part of our standard delivery service.

Please note the product can be out of stock which may increase the lead times. For any other area's not listed above - contact us directly for delivery costs and information.

Installation

Freestanding Wine Cooler:

Freestanding wine coolers are designed to stand alone and not be built in to any cabinetry at all, we recommend a minimum ventilation space of 3-5 inches around the sides and rear of the unit. Do not install a freestanding unit under a counter top.

Built-in / undercounter wine cooler:

A built in wine cooler is designed to be surrounded by cabinetry or can be utilised as a freestanding unit, this type of unit has a grille at the front to allow cool air to be drawn in.

Integrated Wine Cooler:

Integrated wine cabinets are similar to built in wine coolers but are designed to slot into cupboards to create a floating look.

Thermoelectric Wine Cooler:

Thermoelectric wine coolers should never be built into cabinetry or have the ventilation limited in any way. They are designed to sit on the floor or smaller units are perfect for installation on a counter top.

If you have any questions, regarding the installation of your wine cooler or which unit you need, please contact us before purchasing.